



The Status of Evidence-Based Dentistry in Iran

Navabi N¹, Shahravan A²

¹ Assistant Professor of Oral Medicine, Social Determinants on Oral Health Research Center, Kerman University of Medical Sciences, Kerman, Iran.

² Associated Professor of Endodontics, School of Dentistry, Kerman University of Medical Sciences, Kerman, Iran.

ARTICLE INFO

Article Type
Editorial

Article History
Received: May 2015
Accepted: Sep 2015
ePublished: January 2016

Please cite this paper as:

Navabi N, shahravan A. The Status of Evidence-Based Dentistry in Iran. J Res Dentomaxillofac Sci. 2016;1(1):1-3.

Editorial

INTRODUCTION

Evidence-Based Dentistry (EBD) is very limitedly known in Iran, and has been defined as an approach to oral healthcare that requires the judicious integration of systemic assessments of clinically relevant scientific evidences, related to patient's history and oral and medical conditions, with dentist's clinical expertise and patient's treatment needs and preferences.⁽¹⁻⁵⁾ The EBD is a popular medical field worldwide, involving the utilization of the results of clinical dental research that improves decision-making procedures to render the best treatment available to patients, determining the highest-quality treatment methods.^(6, 7)

The EBD is considered invaluable and useful in many ways, which will be discussed below.

Firstly, it has been revealed that dental practitioners who make decisions based on this method rather than on their own personal judgments, are successful in improving their clinical skills, expertise and dexterities. They are able to improve

treatment qualities and outcomes with the aid of the EBD. In addition, they can make judgments about the merits and demerits of potential treatment methods subsequent to assessing the validity of the gathered evidence. Moreover, they are ensured that the treatment rendered conforms to the best evidence available which might boost the patient's confidence while receiving dental services. As a result, the EBD is believed to be an absolute requirement in the dental practice routines and has become very popular.⁽⁸⁻¹¹⁾

Secondly, teaching the EBD to dental students is an important step to promote rendering evidence-based treatments. This type of education paves the way for dentists to understand the basic and applied sciences and increases their awareness of treatment methods in difficult cases. It will also enable dental students to increase and revise their knowledge after graduating from the university. This newly acquired knowledge will have a great impact on the clinical treatment methods they choose. Nowadays, the EBD

*Corresponding author:
Nader Navabi
Tel: 09131986456
Email:nader_nawabi@yahoo.com

is moving to new directions in dental researches and is gradually filling the gap between dental researchers and clinicians.⁽¹²⁻¹⁴⁾

Finally, the EBD has enlightened a massive range of new dental research fields and yet further evaluations are necessary in this regard. Researchers should work hard to achieve the goals of the EBD.⁽¹⁵⁾

Navabi et al. evaluated this knowledge and used it among Iranian dentists. The results revealed that Iranian dentists were not familiar with the concepts of the EBD, and the majority of them preferred consultation with colleagues or seeking electronic databases for this matter. 56.1% of the dentists had limited knowledge about the EBD and 20.7% were not aware of the concept at all. The main barrier to the use of the EBD is the lack of time according to 44.1% of the respondents, while 42.8% of the dentists use the internet less than one hour per week.⁽¹⁶⁾

Considering the importance of Randomized Clinical Trials (RCTs) in the evidence-based approach, RCTs are by some means considered the “gold standard” between clinical researches. They provide the highest level of evidence for the clinician in relation to treatment options.⁽¹⁷⁾

The quality of the design and the way an RCT is carried out, have a significant effect on the validity of its results; therefore, clinical epidemiologists have devised a process known as “critical appraisal” to assess RCTs.⁽¹⁸⁾ Until now, checklists and criteria have been prepared worldwide to assist the readers in evaluating the quality of RCT reports, along with the facts which together provide the most valid tools.⁽¹⁹⁾

Large numbers of RCTs are carried out each year in academic centers in Iran. In many cases, selective reporting of the studies with positive outcomes has resulted in biased conclusions.⁽²⁰⁻²²⁾

One study showed that the quality of the RCTs amongst Iranian dental journals generally does not conform to the recommended standards and needs improvement. In the results section of the mentioned study, acceptable methods for randomization and blinding were found in 8% and 11.5% of the papers, respectively, out of 113 reviewed published articles. Reasons for withdrawal were also given in just 20.4% of papers. The quality of the clinical trials were insufficient to allow the readers to assess the validity of the trials. Greater

attention to quality aspects of the design and coverage of RCTs among Iranian dental Journals are compulsory and the dental research community should review these outcomes with concern.⁽²³⁾

RCT is considered as a basic element of the EBD and as mentioned before, the statement of RCTs in dentistry and the EBD in Iran are both unsuitable. Despite rapid developments during the recent years, many practitioners are still reluctant to adopt evidence-based principles in their routine practice, and educating dental practitioners is a major component in adopting evidence-based approach to oral health care. Training in the EBD field may be facilitated if dental schools and faculties have access to main databases to tackle some of the probable barriers. All the dental practitioners should be instructed regarding the design of RCTs during their education. RCTs provide support for dentist’s clinical decisions, minimizing misdiagnosis by ensuring the best decision-making in relation to procedures and treatments. The practicing dentists should be familiar with the results of updated RCTs, not only to assist them in the diagnosis and treatment, but also to help them evaluate product studies published by dental manufacturers or provide evidence for insurance companies for coverage. It is a significant contribution to train a new generation of dental practitioners equipped with these skills as well as the faculty members who can appreciate the key role of the EBD in the future of dental fields.

Acknowledgments:

The authors would like to thank Dental research center of Tehran university and The AFM center of Iran university of science and Technology for the laboratory work.

Conflict of interests:

Authors report no conflict of interest related to this study.

References:

1. Rabb-Waytowich D. You ask, we answer: Evidence-based dentistry: Part 1: An overview. *J Can Dent Assoc* 2009; 75:27–8.
2. Werb SB, Matear DW. Implementing evidence-based practice in undergraduate teaching clinics: A systematic review and recommendations. *J Dent Educ* 2004; 68:995–1003.

3. Olatunbosun OA, Edouard L, Pierson RA. Physicians' attitudes toward evidence based obstetric practice: A questionnaire survey. *BMJ* 1998; 316:365-6.
4. Azarpazhooh A, Mayhall JT, Leake JL. Introducing dental students to evidence-based decisions in dental care. *J Dent Educ* 2008; 72:87-109.
5. Hackshaw AK, Paul EA, Davenport ES. *Evidence-Based Dentistry: An Introduction*. Oxford, UK: Wiley-Blackwell, 2006. Pp. 1-9.
6. Richards D, Clarkson J, Matthews D, Niederman R. *Evidence-based Dentistry: Managing Information for Better Practice*. London, UK: Quintessence Publishing Co. Ltd., 2008. Pp. 1-14.
7. Faggion CM Jr, Tu YK. Evidence-based dentistry: A model for clinical practice. *J Dent Educ* 2007; 71:825-31.
8. Meyer DM. Evidence-based dentistry: mapping the way from science to clinical guidance. *J Am Dent Assoc* 2008; 139:1444-6.
9. Sakaguchi R. Evidence-based dentistry: Achieving a balance. *J Am Dent Assoc* 2010; 141:496-7.
10. Potomkova J, Mihal V, Zapletalova J, Subova D. Integration of evidence-based practice in bedside teaching paediatrics supported by e-learning. *Biomed Pap Med Fac Univ Palacky Olomouc Czech Repub* 2010; 154:83-7.
11. Karimbux NY. Evidence-based dentistry. *J Dent Educ* 2013; 77:123.
12. Bader J, Ismaili A, Clarkson J. Evidence-based dentistry and the dental research community. *J Dent Res* 1999; 78:1480-3.
13. Benjamin P; DPBRN Collaborative Group. Promoting evidenced-based dentistry through "the Dental Practice-Based Research Network". *J Evid Based Dent Pract* 2009; 9:194-6.
14. Rabb-Waytowich D. Evidence-based dentistry: Part 2: Finding the research. *J Can Dent Assoc* 2009; 75:191-3.
15. Marinho VC, Richards D, Niederman R. Variation, certainty, evidence, and change in dental education: Employing evidence based dentistry in dental education. *J Dent Educ* 2001; 65:449-55.
16. Navabi N, Shahravan A, Pourmonajem S, Hashemipour MA. Knowledge and Use of Evidence-based Dentistry among Iranian Dentists. *Sultan Qaboos Univ Med J*. 2014; 14(2):e223-30.
17. Jüni P, Altman DG, Egger M. Systematic reviews in health care: assessing the quality of controlled clinical trials. *BMJ*. 2001; 323(7303):42-6.
18. Jadad A. Assessing the quality of RCTs: Why, what, how and by whom? In: Jadad A, ed. *Randomized controlled trials*. London: BMJ Books; 1998. p. 45-60.
19. McGovern DPB, Summerskill WSM, Va-iori RM, Levi M, editors. *Key Topics in Evidence-based Medicine*. Oxford: BIOS Scientific Publishers Ltd; 2001. p. 101-4.
20. Moher D, Altman DG, Schulz KF, El-bourne DR. Opportunities and challenges for improving the quality of reporting clinical research: CONSORT and beyond. *CMAJ*. 2004; 171(4):349-50.
21. Plint AC, Moher D, Morrison A, Schulz K, Altman DG, Hill C, et al. Does the CONSORT checklist improve the quality of reports of randomized controlled trials? A systematic review. *Med J Aust*. 2006; 185(5):263-7.
22. Campbell MK, Elbourne DR, Altman DG. CONSORT statement: extension to cluster randomized trials. *BMJ*. 2004; 328(7441):702-8.
23. Habib Agahi R, Navabi N, Shahravan A, Ghassemi AR. Critical Appraisal of Reporting Randomized Clinical Trials Published in Iranian Dental Journals During 2003-2010. *Journal of Dentistry of Tehran University of Medical Sciences* 2014. 11(3):310-8.